Analytical Hierarchy Process (AHP) for Maintenance Management at Bali Mandara Hospital

by hvntart80@gmail.com 1

Submission date: 30-Nov-2022 10:38AM (UTC-0600)

Submission ID: 1967346983

File name: 2684-12168-1-PB.pdf (621.12K)

Word count: 5317

Character count: 28266



Available Online at

http://ojs.unik-kediri.ac.id/index.php/ukarst/index



http://dx.doi.org/10.30737/ukarst

Analytical Hierarchy Process (AHP) for Maintenance Management at Bali Mandara Hospital

M. I. G. Mosa^{1*}, I. N. Sinarta², I.G. A. P. Eryani³

1*,2,3 Warmadewa Denpasar University

E - mail: 1* mariamoza0512@gmail.com, 2inengahsinartaftpsipil@gmail.com,

³eryaniagung@gmail.com

ARTICLE INFO

Article History:

Article entry : 11-05-2022Article revised : 09-06-2022Article received : 25-10-2022

Keywords:

Analytical Hierarchy Process, Bali Mandara Hospital, Infrastructure Maintenance Management, Maintenance Management.

IEEE Style in citing this article: M. I. G. Mosa, I. N. Sinarta, and I G. A. P. Eryani, "Analytical Hierarchy Process (AHP) for Maintenance Management at 16 Mandara Hospital," U Karst, vol. 6, no. 2, pp. 232–245, 2022, doi:https://dx.doi.org/10.30737/u karst.v6i2.2684.

ABSTRACT


The absence of an assessment of the level of damage and the condition of the Bali Mandara Hospital building makes the maintenance management plan contained in the umbrella contract only based on the damage that occurred in the previous year. Therefore, it is very difficult to determine which building infrastructure components require maintenance and repair first. This study examines the priority scale of infrastructure maintenance at Bali Mand 8a Hospital using the Analytical Hierarchy Process (AHP). In this study, researchers used a quantitative-descriptive approach. The assessment of the building condition index value in then determined by the priority scale of each component using the Analytical Hierarchy Process (AHP) method with the help of the Expert Choice Version 11 application and the SWOT Method. The results showed that the index value for the infrastructure condition of the Bali Mandara Hospital building was 89.492 with very good condition criteria and was in zone I, while the highest priority scale was faucets, namely 1,000, and the lowest priority was action on a scale of 0.050, where this priority scale can be used in planning. Standard Operating Crocedure (SOP) and efficient maintenance management. So based on the results of this study, with SWOT analysis, maintenance management can develop a more effective and efficient maintenance plan and Standard Operating Procedure (SOP) by the building condition index and existing priority scale.

1. Introduction

Community needs continue to grow, such as the need for health services, because health is one of the most important necessities of life. Increasing public awareness of health's importance is one reason that the need for health infrastructure is increasing [1]. So hospital building is one of the health infrastructure needed to provide medical services to the surrounding community. So, the community needs the hospital, so it is necessary to have

(cc) BY-SA

maintenance activities, both in terms of medical equipment and buildings [2].



To maintain the function and condition of the building [3], [4] prevent damage to the building [5], extend the life of the building [6], ensure safety [7] and user comfort [8], and support good service to the community [9], [10] It is necessary to maintain the building and its facilities properly. Limited resources in managing the maintenance system for facilities and infrastructure can affect hospital services' continuity, efficiency, and effectiveness [11].

According to The Committee on Building Maintenance, building maintenance is an activity performed to maintain, renew, and repair all existing facilities as part of a building, including both service facilities and the environment around the building, for them to remain in a condition that meets applicable standards and maintain the usability and value of the building [12]. Therefore, building maintenance aims to review whether the planned building and all existing facilities are running properly. In addition, maintenance also plays a role in ensuring the comfort, security, and safety of the building's users. However, in reality, maintenance is only used as a complementary activity every year without regard to the maintenance function itself [13].

The Bali Mandala Regional General Hospital (RSUD) is a type B hospital owned by the Bali Provincial government. Bali Mandara Hospital uses an umbrella contract procurement system to select partners to plan the care and maintenance of buildings based on field surveys over a one-year work implementation period. In addition, the Minister of Health No. 24 of 2016 also states that hospitals provide maintenance costs of at least 15% of the value of hospital buildings and infrastructure [14].

Several previous studies, including Watty et al. [15], Mohamad Budi & Ratnaningsih [16], Adeswantoto [17], Arifin, et al. [18], and Purwaamijaya et al. [3], mention that a building can be assessed for its condition by setting the index value of the condition of the building. The condition index value of 69 (medium) requires analysis to determine the appropriate action in dealing with the problem of building damage. This building condition index assessment becomes the basis for compiling documents in building maintenance and maintenance management to determine the priority of building infrastructure maintenance and maintenance activities that have effectiveness and sustainability values or sustainable development [19]. The maintenance management planning contained in the umbrella contract is only based on the damage that occurred in the previous year. This is due to the absence of assessment of the level of damage and the condition of the building Bali Mandara Hospital. This causes a lot of damage to new building components that are not stated in the umbrella contract, which requires a new procurement process to be carried out. This also makes it hard to decide which parts of a building's infrastructure need to be fixed and maintained first.



In research conducted by [9], it was stated that based on an assessment of the condition of the hospital building, the IKB was obtained at 97.66, including zone 1, with the condition that there is some minor damage, including in maintenance priority 10. Under these conditions, immediate maintenance action is not required. An Analytical Hierarchy Process (AHP) solves a complex problem that is not structured into several components in a hierarchical arrangement. This method involves giving subjective scores about the relative importance of each variable and determining which variable has the highest priority to affect the situation's outcome. This study aimed to examine the priority scale for the basis of maintenance management and management of building infrastructure at Bali Mandara Hospital using the Analytical Hierarchy Process (AHP). Through this assessment, a sequence of existing infrastructure maintenance will be carried out, so knowing these results can be used in planning an efficient maintenance management standard.

2. Research Method

In this study, the researcher used a quantitative descriptive approach and the method used in determining the index value of the condition of the building for each component. The priority scale uses the Analytical Hierarchy Process (AHP) method with the help of the Expert Choice application Version 11. This research was conducted at the Bali Mandara Regional General Hospital (RSUD), its address at Jalan Bypass Ngurah Rai Number 548, Sanur Kauh Village, South Denpasar District, Denpasar City, Bali Province.

2.1 Data Collection

Primary data was obtained through direct research at Bali Hospital Mandara and by an interview method conducted on the parties involved in the maintenance and care activities of Bali Mandara Hospital. In addition, a questionnaire method was used by involving selected respondents by purposive random sampling. The selected respondents knew and understood the ins and outs of building care and maintenance at Bali Mandara Hospital and had competence in handling building maintenance and maintenance activities at Bali Mandara Hospital. The expert respondents selected were: 1 (one) Head of Hospital Facility Maintenance Installation (IPSRS) at Bali Mandara Hospital; 1 (one) Building Maintenance Coordinator at IPSRS Bali Mandara Hospital; 1 (one) administrative person at IPSRS RSUD Bali Mandara; and 1 (one) Director of Contractor Maintenance for Bali Mandara Hospital Building. Secondary data in this study was also obtained directly from the Bali Mandara Hospital, including floor plan data, building size and



area, data on building infrastructure maintenance for the 2021 Building, and parties involved in building maintenance and care.

2.2 Identification of Building Damage

This identification of damage refers to the PUPR Ministerial Regulation No. 22/PRT/M/2018 and Permen PU No. 24/PRT/2008 and obtains building elements that suffered heavy, moderate, and light damage. In addition, the volume of damage and the percentage of damage to elements are also obtained.

1) Index Condition

This damage identification becomes the basis for determining the condition index of the existing building infrastructure at Bali Mandara Hospital. According to Suparjo [20], building damage assessment was carried out by direct surveys in the field. So that the assessment of the condition of the building is done by calculating the value of the building condition index, which is a combination of two or more component condition values multiplied by their weight. With Element Condition Index (IKE) assessment, Sub Component Condition Index (IKSK) assessment, Component Condition Index (IKK) assessment, and Building Condition Index (IKB) assessment.


2) Scala Priority

Meanwhile, to analyze the priority scale of maintenance activities in this study, using AHP (Analytical Hierarchy Process) with the help of the Expert Choice V.11 application, The Analytic Hierarchy Process (AHP) method is a statistical approach first developed by Saaty (1980), which is used in making multi-parameter decisions, Multi-Criteria Decision Making (MCDM) [20] [21]. AHP is based on pairwise comparisons of each element of the hierarchy [22], [23], and the weight values can be sorted by rank [24]. The Expert Choice application aims to facilitate problem analysis in decision making with many alternatives and a relatively large hierarchy [25] because there is no need to do manual calculations. Hence, the error rate is relatively low.

2.3 SWOT Analysis

The SO strategy, the WO strategy, the ST strategy, and the WT strategy are the four cells of the analysis matrix that result from a SWOT analysis. The resultant alternative solutions are used to develop an organizational structure and maintenance management plan that considers preexisting regulatory requirements and references pertinent to hospital building maintenance. As a result, the maintenance management team at Bali Mandara Hospital conducts





a SWOT analysis, considering both internal and external issues. For the strategy and Standard Operating Procedures (SOP) to be useful at Bali Mandara Hospital, they must be prioritized in line with the building condition index and priority scale, which can be seen in the SWOT column.

3. Results and Discussions

3.1 Building Condition Index

The assessment of the building condition index includes the assessment of the Element Condition Index (IKE), the assessment of the Sub Component Condition Index (IKSK), the assessment of the Component Condition Index (IKK), and the assessment of the Building Condition Index (IKB).

3.1.1 Elemental Condition Index Assessment (IKE)

IKE is used as a reference to determine how well the building conserves energy. An example of calculating the ceiling IKE using the formula is as follows:

IKE =
$$100 - \sum_{l=1}^{P} \sum_{i=1}^{P} \lambda (Tj, Sj, Dij) x F(ti d)$$

IKE = $100 - (25x1)$
IKE = $100 - (25)$
IKE = 75

IKE calculation for the other elements is done in the same way. The IKE value of each component of the Bali Mandara hospital building can be seen in **Table 1**



Table 1. IKE Bali Mandara Hospital Building

Component	Sub	Element	Damage	FK	NP	Condition Index (IKE	
19	Component		Volume				
Α	В	C	D	E	F	G=100 - (
Structure	Upper	Roof truss	0%	0	0	100-(0) =	100
	Structure	Roof Cover	0%	0	0	100-(0) =	100
	Upper	Plate		0	0	100-(0) =	100
	Structure	Column	0%	0	0	100-(0) =	100
		Beam	0%	0	0	100-(0) =	100
	Bottom	Foundation	0%	0	0	100-(0) =	100
	Structure	Sloof	0%	0	0	100-(0) =	100
Architecture	Wall	Lightweight Bricks	0.08%	1	25	100-(25) =	75
		Plastering	0.08%	1	25	100-(25) =	75
		Asian	0.04%	0	0	100-(25) =	100
	Doors and	Leaf doors	0.63%	1	25	100-(25) =	75
	Windows	Shutters	0%	0	0	100-(0) =	100
		Jamb	8.15%	1	25	100-(25) =	75
		Hinge	0.10%	0	25	100-(25) =	100
		Lock and Handle	0.31%	0	25	100-(25) =	100
		Wind Hook	0%	0	0	100-(0) =	100
	Floor Cover	Ceramic/granite floor	0.36%	1	25	100-(25) =	75
		Vinyl Floor	0%	0	0	100-(0) =	100
	Palate	Ceiling Frame	1.10%	1	25	100-(25) =	75
		Ceiling	1.51%	1	25	100-(25) =	75
	Finishing	Structural Paint	0.00%	1	25	100-(25) =	75
	(Paint)	Wall paint	2.40%	1	25	100-(25) =	75
		Ceiling Paint	1.49 % _	1	25	100-(25) =	75
		Door and Wood Paint	0%	1	0	100-(25) =	100
Utilities	Air	Air Conditioning	8.93%	1	25	100-(25) =	75
	Conditioning	(AC)					
	Installation	Negative Pressure	1.9%	1	25	100-(50) =	75
	Water	Clean Water	4.6%	1	25	100-(25) =	75
	Installation	Installation					
		Dirty Water and Wastewater	1.6%	1	25	100-(25) =	75
		Installation					
	Sanitary	toilet	1.0%	1	25	100-(0) =	75
	Equipment	Sink	2.2%	1	25	100-(25) =	75
		Floor Drain	0.9%	1	25	100-(25) =	75
		faucet	28.0%	1	50	100-(50) =	50

Source: Data Analysis (2022)

Based on Table 1., it can be seen that the lowest IKE value is on the faucet element, which is faucet (50) or bad condition. The IKE value of all the parts of the structural component is 100 consisting of the Upper Structure and Bottom Structure, or are in very good condition. Still, the IKE values of the parts of the architectural component vary from 75 to 100, consisting of Walls, Doors and Windows, Floor Cover, Palate, Finishing (Paint), or good condition.



3.1.2 Calculation of the Sub-Component Condition Index (IKSK)

Calculating the Sub Component Condition Index (IKSK) for the Bali Mandara Hospital building is carried out after obtaining the IKE of each element. Examples of ceiling IKSK calculations are as follows;

$$\begin{split} IKSK &= (IKE_1xBE_1) + (IKE_2xBE_2) + \dots + (IKE_rxBE_r) \\ IKSK_{Palate} &= \left(IKE_{Ceiling\ Frame}\ x\ Bobot_{Ceiling\ Frame}\right) + (IKE_{Ceiling}xBobot_{Ceiling}) \\ IKSK_{Palate} &= (75\ x\ 0.5) + (75x\ 0.5) \\ IKSK_{Palate} &= 75 \end{split}$$

IKSK calculations for other sub-components are carried out in the same way. The IKSK value of each sub-component of the Bali Mandara hospital building can be seen in **Table 2**.

Table 2. IKSK Bali Mandara Hospital Building

Component	Sub Component	Element	Condition Index	Element	RISK	
			(IKE)	weight		
Structure	Upper Structure	Roof truss	100	0.500	100	
	— opper structure	Roof Cover	100	0.500	100	
		Plate	100	0.333		
	Upper Structure	Column	100	0.333	100	
		Beam	100	0.333		
	Bottom Structure	Foundation	100	0.500	100	
	Bottom Structure	Sloof	100	0.500		
Architecture		Lightweight Bricks	75	0.333		
	Wall	Plastering	75	0.333	83	
		Asian	100	0.333		
		Leaf doors	75	0.262		
		Shutters	100	0.196	88	
	Doors and Windows	Jamb	75	0.199		
	Doors and windows	Hinge	100	0.140		
		Lock and Handle	100	0.140		
		Wind Hook	100	0.062		
	Floor Cover	Ceramic/granite	75	0.500	88	
	rioor Cover	Vinyl Floor	100	0.500	00	
	Palate	Ceiling Frame	75	0.500	75	
	Palate	Ceiling	75	0.500	75	
		Structural Paint	75	0.485	79	
	Phyliphian (Daint)	Wall paint	75	0.221		
	Finishing (Paint)	Ceiling Paint	75	0.132		
		Door and Wood Paint	100	0.162		
Utilities	Air Conditioning	Air Conditioning	75	0.500	75	
	Installation	Negative Pressure	75	0.500	75	
	Water Installation	Clean Water	75	0.500		
		Installation	75	0.500		
		Dirty Water and			75	
		Wastewater	75	0.500		
		Installation				
	Sanitary Equipment	toilet	75	0.250		
		Sink	75	0.250	60	
		Floor Drain	75	0.250	69	
		faucet	50	0.250		

Source: Data Analysis (2022)

Based on **Table 2.**, it can be seen that the IKSK value for the lowest risk sub-component is found in the faucet element, namely 69 or bad condition. The IKSK value for all structural components is 100 or is in very good condition, but the IKSK value for architectural parts varies from 75 to 88 or good condition.

3.1.3 Calculation of Component Condition Index (IKK)

Calculating the Component Condition Index (IKK) is carried out after obtaining the IKSK of each sub-component. An example of the calculation of the Architectural IKK is as follows;

```
 \begin{array}{lll} \textit{IKK} & = & (\textit{IKSK}_1 \, \textit{x} \, \textit{BSK}_1) + (\textit{IKSK}_2 \, \textit{x} \, \textit{BSK}_2) + \dots + (\textit{IKSK}_r \textit{x} \, \textit{BSK}_r) \\ \textit{IKK}_{Architecture} & = & (83 x \, 0.332) + (88 \, x \, 0.087) + (88 \, x \, 0.218) + (75 \, x \, 0.282) + (79 \, x \, 0.081) \\ \textit{IKK}_{Architecture} & = & 81.96 \end{array}
```

The IKK calculation for the other components is carried out the same way. The IKK value of each element of the Bali Mandara hospital building can be seen in **Table 3**.

Table 3. IKK Bali Mandara Hospital Building

Component	Sub Component	Element	Sub Component Weight	IKSK	IKK
Structure	Upper Structure	Roof truss Roof Cover	0.333	100	
	Upper Structure	Plate Column	0.333	100	100
	Bottom Structure	Beam Foundation Sloof	0.333	100	
Architecture	Wall	Lightweight Bricks Plastering Asian	0.332	83	
	Doors and Windows	Leaf doors Shutters Jamb Hinge Lock and Handle Wind Hook	0.087	88	81.96
	Floor Cover	Ceramic/granite Vinyl Floor	0.218	88	
	Palate	Ceiling Frame Ceiling	0.282	75	
	Finishing (Paint)	Structural Paint Wall paint Ceiling Paint Door and Wood Paint	0.081	79	_
Utilities	Air Conditioning Installation	Air Conditioning (AC) Negative Pressure	0.333	75	
	Water Installation	Clean Water Installation Dirty Water and Wastewater Installation	0.333	75	73
	Sanitary Equipment	Toilet Sink Floor Drain faucet	0.333	69	_



Source: Dota Analysis (2022)

The results of the IKK analysis from **Table 3.** show that overall structural sub-components have a weight of 100% or are in very good condition, architectural sub-components have a weight of 75%–88% or good condition, and utility sub-components have a weight of 75% or good condition for installation sub-components.

3.1.4 Calculation of Building Condition Index (IKB)

The Building Condition Index (IKB) calculation is carried out after obtaining the IKK of each component. An example of the calculation of the Architectural IKB is as follows;

IKB =
$$(IKK_1 \times BKK_1) + (IKK_2 \times BKK_2) + \dots + (IKK_r \times BKK_r)$$

IKB =
$$(100*0.465) + (81.96*0.446) + (0.089*73)$$

Based on the calculation results above, the index value of the condition of the infrastructure of the Bali Mandara Hospital building is 89.492 with perfect condition criteria and is in zone I. By knowing the level of damage according to the area; it can be determined the handling action.

3.2 Priority Scale for Maintenance

Determination of the priority scale for maintenance and maintenance of the Bali Mandara Hospital building infrastructure using the condition index value, service life, and cost. The results of the priority weighting using Expert Choice V.11 are shown in **Table 4**.

Table 4. Priority Scale of Bali Mandara Hospital Building Elements

Element	Mark	Priority	Element	Mark	Priority
Faucet	1,000	1	Ceiling Frame	0.205	11
Air Conditioning	0.659	2	Toilet	0.119	12
Jamb	0.550	3	Floor Drain	0.080	13
Clean Water Installation	0.456	4	Ceramic/granite floor	0.073	14
Dirty Water and Wastewater Installation	0.456	5	Leaf doors	0.072	15
Wall paint	0.433	6	Lock and Handle	0.071	16
Sink	0.351	7	Hinge	0.062	17
Negative Pressure	0.269	8	Lightweight Bricks	0.052	18
Ceiling	0.227	9	Plastering	0.050	19
Ceiling Paint	0.219	10	Acian	0.050	20

Source: Data Analysis (2022)


Based on **Table 4.**, the priority scale of maintenance and maintenance activities for the building infrastructure of the Bali Mandara Hospital using the index value of the condition, service life, and cost, where the highest priority is on the faucet element, which is 1,000, and the lowest priority is the acian element of 0.050.



3.3 Analysis of Maintenance Management with the SWOT Method

Each identification number stated in the SWOT column, it should indicate the priority scale or level of urgency.

Table 5. Maintenance Management SWOT Analysis



Strength (S)

- Availability of type I hospital infrastructure
- Availability of human resources (related to supporting the management of Bali Mandara Hospital Maintenance)
- Availability of SOPs in the Implementation of Building Maintenance
- Routine maintenance costs already exist
- Maintenance Installation is available, namely IPSRS

Weakness s s /Weaknesses (W)

- The building database is not complete
- There is no scheduled maintenance planning for both incidental and long-term work (short term) and long-term.
- There is no method to analyze the damage (weight & condition assessment)
- The condition monitoring form is not optimal
- 5. Maintenance SOP is not optimal

Opportunity (O)

- There are MPW regulations, Permenkes and hospital classification guidelines that regulate the maintenance of building infrastructure.
- Cooperation with Vendors / Partners who have clarification on the maintenance of hospital building infrastructure

SO Strategy

- Optimization of maintenance costs through collaboration with Vendors/Partners who have clarification on the maintenance of hospital building infrastructure
- 2. Carry out maintenance management of building infrastructure by the Minister of Public Works Regulation, Permenkes and hospital classification guidelines by optimizing all available resources

WO Strategy

- Completing the building infrastructure database
- Make a scheduled maintenance plan for both incidental and long-term work (short term) and longterm
- Develop maintenance programs/activities in detail
- Optimization of monitoring from Infrastructure condition
- 5. Optimization of existing maintenance SOPs

Threats (T)

- Buildings that are not cared for and maintained properly will reduce their function and age of the building.
- Damage to building components can disrupt services at the Bali Mandara Hospital.

ST strategy

- Infrastructure Buildings must be maintained according to standards
- Optimization of existing resources to facilitate service activities at the Bali Mandara Hospital


WT Strategy

- Designing infrastructure maintenance and maintenance programs that can maintain the function and life of the building
- SOPs at 21 scheduled monitoring of the condition of building components can facilitate services at the Bali Mandara Hospital.

Source: Data Analysis (2022)

(CC) BY-SA

Based on the results of the SWOT analysis above, the things that are recommended are optimizing maintenance costs through collaboration with vendors/partners who have clarification regarding hospital building infrastructure maintenance; implementing building infrastructure maintenance management according to the Regulation of the Minister of Public Works No. 24 of 2008, Permenkes No. 24 of 2016, and the classification guidelines for class B hospitals by optimizing all available resources; making scheduled maintenance plans for both incidental and long-term (short-term) and long-term work; and developing detailed maintenance programs/activities, complete with weighting and condition assessment methods; optimizing existing maintenance SOPs; and optimizing infrastructure condition monitoring forms. From the recommendations above, a special *Standard Operating Procedure (SOP) was made* for the maintenance of building infrastructure as follows:




Source: Data Analysis (2022)

Figure 3. Recommended SOP or Maintenance Activity Flow

243 - 245

U Karst

Volume 06 Number 2 Year 2022



4. Conclusion

The index value of the infrastructure condition of the Bali Mandara Hospital building is 89.492, with perfect condition criteria, and is in zone I. The priority scale for maintenance and management of the Bali Mandara Hospital building infrastructure uses the index value conditions, service life, and cost. The highest priority is on the faucet element, which is 1,000, and the lowest is on the installment element, which is 0.050. The priority scale can be used in planning *Standard Operating Procedures (SOP)* and efficient maintenance management.

5. Acknowledgement

The author would like to thank the Director of the Bali Mandara Regional General Hospital (RSUD) for giving permission and the data needed to complete this journal. Our thanks also go to the Head of the Bali Mandara Hospital Facilities Maintenance Installation (IPSRS) Mr. I Wayan Artawa, ST, IPSRS administration I Gusti Bagus Wisnu Aditya Putra, S. TI, building maintenance coordinator Gede Tangkas, ST, building maintenance unit I Gst Agung Ngurah Surya Pucangan, ST and Komang Dede Tria Hendriyana, A.md who assisted the author in providing the data needed in this study.





References

- [1] S. Mongkaren, "Fasilitas dan Kualitas Pelayanan Pengaruhnya Terhadap Kepuasan Penguna Jasa Rumah Sakit Advent Manado," *J. EMBA J. Ris. Ekon. Manajemen, Bisnis Dan Akunt.*, vol. 1, no. 4, pp. 493–503, 2013, doi: https://doi.org/10.35794/emba.1.4.2013.2723.
- [2] D. D. S. Martins, "Analisis Pemeliharaan Bangunan Gedung Rumah Sakit Umum Di Kota Dili." Thesis UAJY, 2015.
- [3] R. M. Masri and I. M. Purwaamijaya, "Analisis dampak lingkungan untuk pembangunan perumahan di Kawasan Bandung Utara berbasis model sistem dinamis," *J. Permukim.*, vol. 6, no. 3, pp. 147–153, 2011.
- [4] M. A. Risanji and R. Raflis, *Analisis Faktor Pemeliharaan Bangunan Gedung Terhadap Kenyamanan Pekerja Kantor*, vol. 20, no. 2, 2018.
- [5] R. Waluyo, V. H. Puspasari, D. S. A. Ningrum, P. I. Devina, and A. T. Pihawiano, "Analisis estimasi biaya perawatan bangunan gedung fakultas teknik universitas palangka raya," *J. Tek. Sipil*, vol. 16, no. 3, pp. 210–217, 2021, doi: https://doi.org/10.24002/jts.v16i3.5393.
- [6] W. Hartono, Sugiyarto, and A. Fitria S, "Prioritas Pemeliharaan Bangunan Gedung-Gedung Kantor Dinas di Kabupaten Sukoharjo Menggunakan metode AHP (Analytical Hierarchy Process) dengan Bantuan Software Expert Choice V.11," *Matriks Tek. Sipil*, vol. 5, no. 2, pp. 469–475, 2017, doi: https://doi.org/10.20961/mateksi.v5i2.36858.
- [7] R. Faulinda and S. N. Sunaningsih, "Analisis prosedur pemeliharaan gedung bangunan pada dinas tenaga kerja, transmigrasi dan sosial Kota Magelang," *J. Edukasi*, vol. 8, no. 2, pp. 77–82, 2020, doi: http://dx.doi.org/10.25157/je.v8i2.3742.
- [8] M. Misriani, R. Riswandi, and P. B. Fauziah Akmal, "Perancangan Manajemen Pemeliharaan Gedung Dekanat Fakultas Kedokteran Universitas Andalas," *J. Fondasi*, vol. 9, no. 1, pp. 44–53, 2020, doi: 10.36055/jft.v9i1.7536.
- [9] S. S. Manurung, A. Alwi, and E. Mulyani, "Penyusunan Dokumen Pemeliharaan Gedung Rumah Sakit Umum Daerah Sultan Syarif Mohamad Alkadrie Kota Pontianak," *J. Tek. Sipil*, vol. 17, no. 2, 2017, doi: 10.26418/jtsft.v17i2.25932.
- [10] L. Candra, M. D. Widodo, and M. Tonis, "Analisis Sistem Manajemen dalam Pemeliharaan Sarana dan Prasarana di Rumah Sakit Umum Daerah Teluk Kuantan Tahun 2016," *Kesmars*, vol. 1, no. 1, pp. 49–53, 2018, doi: https://dx.doi.org/10.31539/kesmars.v1i1.150.
- [11] Hendrisman, S. Sutomo, Arnawilis, B. Hartono, and Lita, "Analisis Manajemen Pemeliharaan Sarana dan Prasarana di Rumah Sakit Umum Daerah Rokan Hulu," *J. Kesehat. Komunitas*, vol. 7, pp. 45–56, 2021.
- [12] S. I. S. Kende, "Analisis Pemeliharaan Bangunan Gedung Rumah Sakit Umum Di Kota Sorong." Thesis UAJY, 2014.
- [13] I. R. T. P. Sitorus, "Analisis Pemeliharaan Bangunan Gedung Rumah Sakit Umum Pusat H. Adam Malik Medan." Thesis UAJY, 2018.
- [14] P. R. Indonesia, "Undang-Undang Republik Indonesia Nomor 24 Tahun 2007 tentang Penanggulangan Bencana."



- [15] S. M. Watty, R. Pratiwi, and Syahrudin, "Studi Penentuan Indeks Kondisi Bangunan dan Biaya Renovasi Bangunan Lama Fakultas Kehutanan Universitas Tanjungpura Pontianak," JeLAST J. PWK, Laut, Sipil, Tambang, vol. 3, no. 3, pp. 1–10, 2016, doi: http://dx.doi.org/10.26418/jelast.v3i3.18374.
- [16] H. Mohamad Budi and A. Ratnaningsih, "Penentuan Prioritas Pemeliharaan Dan Pengembangan Infrastruktur Bangunan Gedung Puskesmas Dengan Metode Ahp (Analytical Hierarchy Process) Di Kabupaten Jember," Konf. Nas. Tek. Sipil (KONTSI). Univ. Jember, 2017.
- [17] H. Adeswastoto and M. Islah, "Kajian Manajemen Pemeliharaan Gedung Universitas Pahlawan," J. ArTSip, vol. Vol.01, No, p. 74, 2019, doi: 10.12691/ajcea-8-3-4.
- B. A. Arifin, D. J. Koesoemawati, and A. Ratnaningsih, "Penilaian Kondisi Manajemen Aset Bangunan Gedung Menggunakan Metode Indeks Pada Komponen Arsitektural dan Struktural," J. Rekayasa Sipil dan Lingkung., vol. 4, no. 2, pp. 130–140, 2021, doi: https://doi.org/10.19184/jrsl.v4i2.16007.
- [19] M. H. Faisal and A. B. Alwi, "Penyusunan standard operating procedure (sop) pemeliharaan infrastruktur pada politeknik negeri ketapang," J. Tek. Sipil, vol. 17, no. 2, 2016, doi: http://dx.doi.org/10.26418/jtsft.v17i2.38293.
- Hamdi and Sudarmadji, "Penilaian Kondisi Bangunan Sekolah Pasca Gempa Bumi (Studi Kasus Padang Pariaman, Sumatera Barat)," Pilar, vol. 10, no. 1, pp. 69–77, 2014.
- [21] A. Darko, A. P. C. Chan, E. E. Ameyaw, E. K. Owusu, E. Pärn, and D. J. Edwards, "Review of application of analytic hierarchy process (AHP) in construction," Int. J. Manag., 19, Constr. vol. no. 5, 436–452, 2019. pp. https://doi.org/10.1080/15623599.2018.1452098.
- [22] A. U. Khan and Y. Ali, "Analytical hierarchy process (AHP) and analytic network process methods and their applications: a twenty year review from 2000-2019: AHP & ANP techniques and their applications: Twenty years review from 2000 to 2019," Int. J. Anal.Hierarchy Process, vol. 12, 3, 2020, doi: https://doi.org/10.13033/ijahp.v12i3.822.
- M. W. Hidayat et al., "Evaluasi dan Penilaian Indeks Kondisi Aset Bangunan Gedung Fakultas Keguruan dan Ilmu Pendidikan Universitas Jember," Berk. Saintek, vol. 8, no. 4, pp. 122–131, 2020, doi: https://doi.org/10.19184/bst.v8i3.14844.
- [24] H. Mengistu, E. T. Quezon, M. Tsegaye, and T. Markos, "Expert Choice-Based Approach on Analytical Hierarchy Process for Pavement Maintenance Priority Rating Using Super Decision Software in Addis Ababa City, Ethiopia," Am. J. Civ. Eng. Archit., vol. 8, no. 3, pp. 105-118, 2020, doi: 10.12691/ajcea-8-3-4.
- [25] J. E. C. Banal and R. A. C. Robielos, "Buying Condominium Properties Made Easy using Analytic Hierarchy Process (AHP) Approach through Expert Choice," Proc. 2nd African Int. Conf. Ind. Eng. Oper. Manag. Harare, Zimbabwe, 2020.



Analytical Hierarchy Process (AHP) for Maintenance Management at Bali Mandara Hospital

Mar	nagement	at Bali Mandara	a Hospital	
ORIGINA	ALITY REPORT			
SIMILA	4% ARITY INDEX	10% INTERNET SOURCES	8% PUBLICATIONS	2% STUDENT PAPERS
PRIMAR	Y SOURCES			
1	Setyawa Procure Rehabili Polytech	toso, S Sangadj an. "The Impact ment on the M tation System o nnic Building", J nce Series, 202	of Electronic aintenance and of the Surakart ournal of Phys	∠% d a Health
2	portal.is			2%
3	Yulianti. Intrinsic Leaders	Rosminingsih To "Creative Proc Motivation Sel hip Terhadap E A Jurnal Ekonor	ess Engageme pagai Mediasi I Employee Crea	nt Dan Humble tivity",
4	ojs.unik Internet Sour	-kediri.ac.id		1 %
				_

"Evaluation of the Implementation of Coastal Community Empowerment Policy in Surabaya

1 %

City for Supporting Indonesian Maritime Defense", International Journal of Recent Technology and Engineering, 2019

Publication

6	pasca.unila.ac.id Internet Source	1 %
7	www.scilit.net Internet Source	1 %
8	repository.lppm.unila.ac.id Internet Source	1%
9	ijisrt.com Internet Source	1%
10	adoc.pub Internet Source	<1%
11	Submitted to Universitas Muhammadiyah Yogyakarta Student Paper	<1%
12	ejournalwiraraja.com Internet Source	<1%
13	jurnal.unej.ac.id Internet Source	<1%
14	Gulin Feryal Can, Pelin Toktas, Fatma Pakdil. "Six Sigma Project Prioritization and Selection Using AHP-CODAS Integration: A Case Study in Healthcare Industry", IEEE Transactions on Engineering Management, 2021	<1%

15	N Tamimi, I S Fatimah, A A Hadi. "Identification of Conditions and Distribution of Colonial Buildings in Bandung City", IOP Conference Series: Earth and Environmental Science, 2020 Publication	<1%
16	jurnal.umus.ac.id Internet Source	<1%
17	ojs2.pnb.ac.id Internet Source	<1%
18	www.bestplacestotraveltoo.com Internet Source	<1%
19	dokumen.pub Internet Source	<1%
20	Abdurrahman Faris Indriya Himawan. "ANALYTICAL HIERARCHY PROCESS SEBAGAI EVALUASI SUPPLIER ALAT KESEHATAN DAN OBAT – OBATAN DI RUMAH SAKIT MUHAMMADIYAH", MANAJERIAL, 2019 Publication	<1%
21	Ferro Gadha Gilang Kencana, Ary Setyawan, Syafi'i. "System model for physical conditions of road components in Magetan district", MATEC Web of Conferences, 2018	<1%

Exclude quotes Off Exclude matches Off

Exclude bibliography On

Analytical Hierarchy Process (AHP) for Maintenance Management at Bali Mandara Hospital

PAGE 2 PAGE 3 PAGE 4 PAGE 5 PAGE 6 PAGE 7 PAGE 8 PAGE 9 PAGE 10	PAGE 1	
PAGE 4 PAGE 5 PAGE 6 PAGE 7 PAGE 8 PAGE 9 PAGE 10 PAGE 11	PAGE 2	
PAGE 5 PAGE 6 PAGE 7 PAGE 8 PAGE 9 PAGE 10 PAGE 11	PAGE 3	
PAGE 6 PAGE 7 PAGE 8 PAGE 9 PAGE 10 PAGE 11	PAGE 4	
PAGE 7 PAGE 8 PAGE 9 PAGE 10 PAGE 11	PAGE 5	
PAGE 8 PAGE 9 PAGE 10 PAGE 11	PAGE 6	
PAGE 9 PAGE 10 PAGE 11	PAGE 7	
PAGE 10 PAGE 11	PAGE 8	
PAGE 11	PAGE 9	
	PAGE 10	
P. C. F. 40	PAGE 11	
PAGE 12	PAGE 12	
PAGE 13	PAGE 13	
PAGE 14	PAGE 14	